

Číslo překážky	Y-JTSK [m]	X-JTSK [m]	WGS 84 Longitude	WGS 84 Latitude	Popis překážky	Nadmořská výška vrcholu objektu [m]	Nadmořská výška paty objektu [m]	Relativní výška objektu [m]	Penetruje	Bezpečnostní plocha [m]	Ochranná rovina bezpečnostní plochy [m]	Přibližovací/vzletová plocha noční [m]
1	864965,24	1045766,84	12° 44' 30,34"	49° 54' 03,66"	WDI	547,87	541,18	6,69	Ne		-1,67	
2	864958,42	1045768,52	12° 44' 30,69"	49° 54' 03,64"	strom	545,66	541,27	4,39	Bod mimo OP			
3	864958,09	1045763,50	12° 44' 30,66"	49° 54' 03,80"	keř	544,52	541,38	3,14	Ne		-3,45	
4	864955,75	1045763,47	12° 44' 30,78"	49° 54' 03,81"	keř	544,47	541,43	3,04	Ne		-4,42	
5	864956,88	1045760,40	12° 44' 30,70"	49° 54' 03,90"	keř	544,25	541,50	2,75	Ne		-1,39	
6	864949,20	1045759,47	12° 44' 31,07"	49° 54' 03,97"	strom	546,12	541,71	4,41	Ne		-3,63	
7	864944,47	1045757,10	12° 44' 31,29"	49° 54' 04,07"	keř	544,35	541,92	2,43	Ne		-7,91	
8	864933,19	1045801,81	12° 44' 32,20"	49° 54' 02,70"	sloup el. vedení	552,22	541,65	10,57	Bod mimo OP			
9	864938,72	1045725,40	12° 44' 31,32"	49° 54' 05,12"	stožár el. vedení	552,28	542,74	9,54	Bod mimo OP			
10	864945,66	1045734,58	12° 44' 31,05"	49° 54' 04,79"	strom	549,11	542,35	6,76	Ne		-2,05	
11	864948,15	1045732,56	12° 44' 30,91"	49° 54' 04,84"	strom	548,95	542,32	6,63	Ne		-1,29	
12	864955,79	1045731,65	12° 44' 30,53"	49° 54' 04,83"	stromek	546,93	542,10	4,83	Ano		1,18	
13	864961,22	1045729,89	12° 44' 30,24"	49° 54' 04,86"	stromek	544,48	541,98	2,50	Ne		-0,82	
14	864965,21	1045730,91	12° 44' 30,05"	49° 54' 04,80"	stromek	543,97	541,81	2,16	Ano		0,07	
15	864968,48	1045733,18	12° 44' 29,91"	49° 54' 04,71"	stromek	543,04	541,69	1,35	Ano	0,76		
16	864969,34	1045732,48	12° 44' 29,86"	49° 54' 04,73"	stromek	543,04	541,70	1,34	Ano		0,05	
17	864971,90	1045732,63	12° 44' 29,74"	49° 54' 04,71"	stromek	543,34	541,65	1,69	Ne		-0,03	
18	864970,93	1045730,69	12° 44' 29,77"	49° 54' 04,78"	stromek	543,19	541,72	1,47	Ne		-1,88	
19	864973,58	1045731,08	12° 44' 29,64"	49° 54' 04,76"	stromek	543,55	541,67	1,88	Ne		-1,69	
20	864974,81	1045731,72	12° 44' 29,58"	49° 54' 04,73"	stromek	543,11	541,64	1,47	Ne		-1,75	
21	864977,80	1045731,41	12° 44' 29,43"	49° 54' 04,72"	strom	550,74	541,60	9,14	Ano		4,95	
22	864980,57	1045732,59	12° 44' 29,31"	49° 54' 04,67"	strom	548,87	541,45	7,42	Ano		3,66	
23	864984,06	1045733,09	12° 44' 29,14"	49° 54' 04,64"	strom	545,31	541,38	3,93	Ano		0,14	
24	864986,70	1045733,98	12° 44' 29,01"	49° 54' 04,60"	strom	546,58	541,35	5,23	Ano		2,02	

C1 - Tabulka zaměřených bodů

heliport Chodová Planá

25	864989,70	1045732,34	12° 44' 28,85"	49° 54' 04,63"	strom	549,62	541,34	8,28	Ano		3,11	
26	864993,71	1045734,16	12° 44' 28,67"	49° 54' 04,55"	strom	547,51	541,24	6,27	Ano		2,39	
27	864996,33	1045736,46	12° 44' 28,56"	49° 54' 04,47"	strom	547,58	541,19	6,39	Ano		4,48	
28	865003,59	1045734,17	12° 44' 28,18"	49° 54' 04,50"	strom	545,58	541,01	4,57	Ne		-0,56	
29	865010,22	1045733,15	12° 44' 27,84"	49° 54' 04,50"	strom	548,21	540,93	7,28	Ano		0,36	
30	865017,22	1045734,38	12° 44' 27,51"	49° 54' 04,43"	strom	549,74	540,76	8,98	Ano		2,38	
31	865013,39	1045738,65	12° 44' 27,73"	49° 54' 04,31"	strom	547,35	540,68	6,67	Ano			3,59
32	865032,11	1045735,54	12° 44' 26,78"	49° 54' 04,31"	strom	546,63	540,58	6,05	Bod mimo OP			
33	865022,03	1045740,52	12° 44' 27,32"	49° 54' 04,20"	strom	543,80	540,52	3,28	Ne			-0,36
34	864977,08	1045745,88	12° 44' 29,58"	49° 54' 04,26"	světlo APAPI	542,14	541,24	0,90	Ne	-0,14		
35	864975,59	1045751,70	12° 44' 29,70"	49° 54' 04,09"	světlo APAPI	542,15	541,27	0,88	Ne	-0,13		
36	864965,01	1045746,03	12° 44' 30,18"	49° 54' 04,32"	střed heliportu	542,23	541,44	0,79	Ne			
41	865046,23	1045739,18	12° 44' 26,11"	49° 54' 04,12"	keř	543,68	540,29	3,39	Bod mimo OP			
42	865049,77	1045735,44	12° 44' 25,91"	49° 54' 04,22"	keř	543,41	540,27	3,14	Bod mimo OP			
43	865065,70	1045738,76	12° 44' 25,14"	49° 54' 04,04"	keř	543,77	540,06	3,71	Bod mimo OP			
44	865069,95	1045738,37	12° 44' 24,93"	49° 54' 04,03"	keř	544,16	540,04	4,12	Bod mimo OP			
45	865075,92	1045738,06	12° 44' 24,63"	49° 54' 04,01"	keř	543,11	539,98	3,13	Bod mimo OP			
46	865081,98	1045747,16	12° 44' 24,40"	49° 54' 03,68"	strom	545,00	540,03	4,97	Ne		-1,86	
47	865087,49	1045747,48	12° 44' 24,13"	49° 54' 03,65"	strom	544,83	540,05	4,78	Ne		-2,27	
48	865089,14	1045742,04	12° 44' 24,01"	49° 54' 03,81"	strom	546,22	540,00	6,22	Bod mimo OP			
49	865091,31	1045739,48	12° 44' 23,88"	49° 54' 03,88"	strom	544,53	539,97	4,56	Bod mimo OP			
50	865091,88	1045747,77	12° 44' 23,92"	49° 54' 03,61"	strom	545,36	540,04	5,32	Ne		-1,94	
51	865095,21	1045744,30	12° 44' 23,73"	49° 54' 03,71"	strom	544,54	540,04	4,50	Ne		-2,87	
52	865094,32	1045749,00	12° 44' 23,81"	49° 54' 03,56"	strom	544,90	540,03	4,87	Ne		-2,52	
53	865096,75	1045749,65	12° 44' 23,69"	49° 54' 03,53"	strom	544,13	540,01	4,12	Ne		-3,4	
54	865101,31	1045741,82	12° 44' 23,41"	49° 54' 03,76"	strom	545,63	540,06	5,57	Bod mimo OP			
55	865136,75	1045741,23	12° 44' 21,65"	49° 54' 03,59"	strom	546,96	540,33	6,63	Bod mimo OP			
56	865152,98	1045743,60	12° 44' 20,86"	49° 54' 03,43"	strom	545,80	540,34	5,46	Bod mimo OP			
57	865165,51	1045745,79	12° 44' 20,26"	49° 54' 03,30"	strom	546,75	540,34	6,41	Bod mimo OP			
58	865164,97	1045747,74	12° 44' 20,30"	49° 54' 03,24"	strom	546,39	540,37	6,02	Ne		-4,13	
59	865167,25	1045749,26	12° 44' 20,20"	49° 54' 03,18"	strom	546,82	540,44	6,38	Ne		-3,81	
60	865165,52	1045753,68	12° 44' 20,32"	49° 54' 03,05"	strom	548,27	540,73	7,54	Ne		-2,32	
61	865172,38	1045762,71	12° 44' 20,06"	49° 54' 02,72"	strom	550,28	540,30	9,98	Ne		-0,7	

C1 - Tabulka zaměřených bodů

heliport Chodová Planá

62	865171,72	1045768,92	12° 44' 20,14"	49° 54' 02,53"	strom	551,11	541,34	9,77	Ano			0,1
63	865158,45	1045775,63	12° 44' 20,85"	49° 54' 02,38"	strom	547,47	540,19	7,28	Ne			-3,02
64	865173,83	1045779,61	12° 44' 20,12"	49° 54' 02,18"	strom	549,96	539,47	10,49	Ne			-1,24
65	865174,76	1045795,80	12° 44' 20,20"	49° 54' 01,65"	strom	550,18	539,83	10,35	Ne			-1,22
66	865176,14	1045801,15	12° 44' 20,18"	49° 54' 01,48"	strom	550,62	539,56	11,06	Ne			-0,89
67	865177,69	1045812,21	12° 44' 20,19"	49° 54' 01,11"	strom	549,81	538,92	10,89	Ne			-1,87
68	865178,39	1045818,00	12° 44' 20,20"	49° 54' 00,93"	strom	549,57	538,87	10,70	Ne			-2,19
69	865195,03	1045829,28	12° 44' 19,46"	49° 54' 00,48"	strom	547,13	537,17	9,96	Ne			-5,47
70	865195,57	1045833,70	12° 44' 19,47"	49° 54' 00,34"	strom	548,66	537,24	11,42	Ne			-4,01
71	865178,76	1045829,69	12° 44' 20,27"	49° 54' 00,55"	strom	549,21	539,05	10,16	Ne			-2,68
72	865178,99	1045835,49	12° 44' 20,31"	49° 54' 00,36"	strom	549,44	539,42	10,02	Ne			-2,51
73	865169,79	1045840,67	12° 44' 20,80"	49° 54' 00,25"	strom	547,34	539,73	7,61	Bod mimo OP			
74	865168,73	1045842,33	12° 44' 20,87"	49° 54' 00,20"	strom	547,40	539,84	7,56	Bod mimo OP			
77	865112,90	1045800,88	12° 44' 23,30"	49° 54' 01,81"	strom	544,52	539,87	4,65	Ne			-4,2
78	865096,27	1045794,84	12° 44' 24,08"	49° 54' 02,09"	strom	543,73	539,87	3,86	Ne			-4,2
79	865086,59	1045801,15	12° 44' 24,61"	49° 54' 01,94"	strom	544,91	539,86	5,05	Ne			-2,65
80	865079,16	1045800,58	12° 44' 24,97"	49° 54' 01,99"	strom	544,84	539,57	5,27	Bod mimo OP			
81	865063,53	1045795,77	12° 44' 25,70"	49° 54' 02,23"	strom	543,86	539,60	4,26	Bod mimo OP			
82	865077,59	1045786,75	12° 44' 24,94"	49° 54' 02,44"	strom	543,78	539,55	4,23	Ne			-3,25
83	865080,39	1045784,99	12° 44' 24,78"	49° 54' 02,48"	strom	543,36	539,49	3,87	Ne			-3,78
84	865082,24	1045783,95	12° 44' 24,68"	49° 54' 02,51"	strom	543,53	539,58	3,95	Ne			-3,68
85	865083,91	1045783,43	12° 44' 24,60"	49° 54' 02,52"	strom	544,15	539,65	4,50	Ne			-3,13
86	865094,17	1045780,63	12° 44' 24,07"	49° 54' 02,55"	strom	544,54	539,61	4,93	Ne			-3,17
87	865116,64	1045784,24	12° 44' 22,98"	49° 54' 02,32"	strom	548,07	539,58	8,49	Ne			-0,66
88	865124,41	1045784,44	12° 44' 22,60"	49° 54' 02,28"	strom	551,20	539,61	11,59	Ano			2,13

Náležitostmi a přesností odpovídá právním předpisům.

Zakázka je vyhotovena podle platných směrnic. Kritéria přesnosti byla dodržena.

Ověřil:

Datum:

Číslo ověření:

Ing. Martin Krejčík

17.6.2021

069-3-2021